

Sample Received: **June 19, 2026**

COA Issued: **June 25, 2026**

PRODUCT INFORMATION

Vendor: **LONGEVITY PEPTIDE** Sample Name: **Semaglutide 10mg** Sample Type: **White lyophilized powder** Lot Number: **SEMA10-0616** MW (g/mol): **4113.6**

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS

Purity: RP-HPLC (214 nm)

Content: HPLC quantitation



Batched by:

American Peptides

TEST RESULTS

Specification	Result	Method	Status
Identity: Semaglutide	Semaglutide	MALDI-MS	✓ Conforms
Content	10.52 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms

HPLC Chromatogram (Retention Time: 10.837 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight

Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.